

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



1819

William Prince

Catalogue of Connecticut Trees, Plants, and Seeds, ...





1819.

CATALOGUE

OF

AMERICAN TREES, PLANTS, AND SEEDS,

FOR SALE BY WILLIAM PRINCE, AT HIS NURSERY, NEAR NEW-YORK.

Plants -	each
<i>Acer rubrum</i>	1/2 00
<i>saccharinum</i>	1/4 00
<i>negundo</i>	5-2 00
<i>striatum</i>	
<i>Aesculus flava</i>	3-1/3 each
<i>pavia</i>	
<i>macrostachya</i> , &c.	
<i>Amorphia fruticosa</i>	8 each
<i>Andromeda arborea</i>	4/5 each
<i>ferruginea</i>	
<i>paniculata</i>	1/3 ea
<i>rosea</i>	
<i>axillaris</i>	1/3 ea
<i>ligustrina</i>	
<i>racemosa</i>	£1.10 per 100
<i>speciosa</i>	2/3 each
<i>acuminata</i>	
<i>calyculata</i>	1/3 ea
<i>nitida</i>	
<i>Magnolia</i>	£1.10 per 100
<i>pulverulenta</i> , &c.	2/3 ea
<i>Annona triloba</i>	3-1/2 each
<i>glabra</i>	
<i>Aristolochia</i>	1/3 each
<i>siphon</i>	
<i>Azalea calendulacea</i>	var. <i>flammea</i>
var. <i>crocea</i>	£1.1 each
var. <i>tricolor</i>	
<i>bicolor</i>	4/5
<i>canescens</i>	
<i>percyclomenoides</i>	
<i>lacteus</i>	
<i>viscosa</i>	£1.10 per 100
<i>glauca</i>	
<i>coccinea</i> , &c.	
<i>Baccharis halimifolia</i>	£1.10 per 100
<i>Bejaria racemosa</i>	
<i>Berberis canadensis</i>	8 ea
<i>Betula nigra</i>	
<i>populifolia</i>	£1.10 per 100
<i>papyracea</i>	
<i>Bignonia radicans</i>	8 each
<i>capreolata</i>	2/3 ea
<i>crucigera</i>	
<i>Calycanthus floridus</i>	
<i>ferax</i>	3-1/2
<i>Carpinus ostrya</i>	£1.10 per 100
<i>virginica</i>	
<i>Castania americana</i>	£1.10 per 100
<i>pumila</i>	1/2 each
<i>Catalpa syringaefolia</i>	£2 per 100
<i>Ceanothus americanus</i>	2.10 per 100

<i>Celastrus scandens</i>	28 each
<i>Celtis occidentalis</i>	
<i>Cephalanthus occidentalis</i>	
<i>Cercis canadensis</i>	38 each
<i>Chionanthus virginica</i>	
<i>Cissus hederacea</i>	
<i>Clematis virginica</i>	80
<i>crispa</i>	1/2
<i>grandiflora</i> , new spe.	4/6
<i>Clethra alnifolia</i>	£1.10 per 100
<i>Cornus florida</i>	£1.10
<i>sanguinea</i>	
<i>canadensis</i>	14-2
<i>sericea</i> , &c.	8-5
<i>Crataegus coccinea</i>	8-5
<i>elliptica</i> , &c.	8-5
<i>Croton maritimum</i>	11-
<i>Cupressus disticha</i>	11-12
<i>thyoides</i>	11-12
<i>Diospyros virginiana</i>	80
<i>Dircia palustris</i>	80-103.100
<i>Euonymus americanus</i> , &c.	
<i>Fagus ferruginea</i>	80
<i>Fothergilla alnifolia</i>	15 per 100
<i>Franklinia altamaha</i>	£5 per 100
<i>Fraxinus sambucifolia</i>	acuminata 3-8
<i>Gaultheria procumbens</i>	
<i>Gelsemium nitidum</i>	
<i>Gleditsia triacanthos</i>	
<i>Glycine frutescens</i>	
<i>Gordonia lasianthus</i>	
<i>Guilandina dioica</i>	
<i>Halesia tetraptera</i>	
<i>Hammamelis virginica</i>	
<i>Hibiscus syriacus</i> , varieties	
<i>Hopea tinctoria</i>	
<i>Hydrangea frutescens</i>	radiata, &c.
<i>Hypericum Kalmianum</i>	frutex, ascyroides
<i>Ilex canadensis</i>	opaca
<i>augustifolia</i>	
<i>cassinifolia</i>	
<i>Itea virginica</i>	
<i>Juglans</i> , eight distinct sorts.	
<i>Juniperus virginica</i> , &c.	
<i>Kalmia latifolia</i>	augustifolia
<i>hirsuta</i>	
<i>Convolvulus sagittifolius</i>	jalapa
<i>nil</i> , &c. &c.	
<i>Conyza marylandica</i>	
<i>Coreopsis auriculata</i> , &c.	
<i>Cucubalus behen</i> , &c.	
<i>Cymbidium odontorhizon</i>	
<i>Cypripedium acaule</i>	flavum, &c.
<i>Dionaea muscipula</i>	
<i>Dioscorea villosa</i>	
<i>Dodecatheon meadia</i>	
<i>Dracocephalum virginicum</i>	
<i>Erythrina herbacea</i>	
<i>Erythronium maculatum</i>	
<i>Eupatorium trifoliatum</i>	verticillatum, &c.
<i>Ferrula canadensis</i>	
<i>Gentiana Saponaria</i>	cruciata
<i>crinita</i> , &c.	
<i>Geranium maculatum</i> , &c.	
<i>Gerardia flava</i>	quercifolia
<i>purpurea</i>	
<i>tenuifolia</i> , &c.	
<i>Glycine apia</i> ,	comosa, &c.
<i>Hedysarum hirsutum</i>	nudiflorum, &c.
<i>Helianthus</i> of sorts	
<i>Helonias asphodeloides</i>	bullata
<i>lutea</i> , &c.	
<i>Hibiscus moscheutos</i>	palustris, &c.
<i>Hieraceum venosum</i>	
<i>Ipomoea</i> , 3 varieties.	
<i>Iris versicolor</i> , &c.	
<i>Lagerstroemia indica</i>	
<i>purpurea et coccinea</i> (exotic)	
<i>Laurus sassafras</i>	
<i>benzoin</i>	
<i>diospyrus</i>	
<i>geniculata</i>	
<i>borbonia</i>	
<i>Liquidamber styraciflua</i>	
<i>Liriodendron tulipifera</i>	
<i>Magnolia grandiflora</i>	
<i>ferruginea</i> , var.	
<i>glaucia</i> , 2 var.	
<i>acuminata</i>	
<i>tripetala</i>	
<i>auriculata</i>	
<i>macrophylla</i>	
<i>cordata</i>	
<i>Menispermum canadense</i>	
<i>Melia azederach</i> (exotic)	
<i>Mespilus canadensis</i> , &c.	
<i>Mimosa arborea</i>	
<i>Mylocarum ligustrinum</i>	
<i>Myrica cerifera</i>	
<i>latifolia</i>	
<i>Nyssa villosa</i>	
<i>Oxycoccus macrocarpus</i>	
<i>Periploca graeca</i>	
<i>Pinckneya pubens</i>	
<i>Pinus palustris</i>	
<i>strobos</i>	
<i>inops</i>	
<i>rigida</i>	
<i>balsamea</i>	
<i>Fraseri</i>	
<i>canadensis</i>	
<i>nigra</i>	
<i>alba</i>	
<i>rubra</i>	
<i>larix</i> , 3 var.	
<i>Prinos verticillatus</i>	
<i>sempervirens</i> , &c.	
<i>Platanus occidentalis</i>	
<i>Prunus Chicasaw</i> , red & yellow	
<i>pumila</i>	
<i>maritima</i>	
<i>virginica</i>	
<i>Caroliniana</i>	
<i>Ptelia trifoliata</i>	
<i>Quercus alba</i>	
<i>rubra</i>	
<i>nigra</i>	
<i>Vaccinium stamineum</i>	
<i>myrsinitis</i>	
<i>frondosum</i>	
<i>corymbosum</i>	
<i>resinosum</i>	
<i>stamineum</i>	
<i>virgatum</i>	
<i>ligustrinum</i> , &c.	
<i>Viburnum prunifolium</i> , &c.	
<i>oxycoccus</i>	
<i>Vitis Blancia</i>	
<i>vulpina</i> , 3 var. &c.	
<i>Zanthorhiza apiifolia</i>	
<i>Zanthoxylum fraxineum</i> , &c.	

HERBACEOUS.

<i>Aconitum uncinatum</i>	
<i>Actaea americana</i>	
<i>Agrimonia Eupatoria</i>	
<i>Aletris aurea</i>	
<i>Amaranthus</i> of sorts	
<i>Amaryllis formosissima</i>	
<i>undulata</i>	
<i>atamasco</i>	
<i>Amsonia latifolia</i>	
<i>Anemone virginica</i>	
<i>quinquefolia</i>	
<i>thalictroides</i> , single	
<i>hepatica</i> , 3 var.	
<i>Apocynum cannabinum</i>	
<i>androscœmifolium</i>	
<i>Aquilegia canadensis</i>	
<i>Aralia nudicaulis</i> , &c.	
<i>Aristolochia serpentaria</i>	
<i>Arum tryphillum</i> , &c.	
<i>Asarum canadense</i>	
<i>virginicum</i>	
<i>Asclepias tuberosa</i>	
<i>decumbens</i>	
<i>variegata</i>	
<i>undulata</i> , &c.	
<i>Aster Carolinensis</i>	
<i>novaeangliae</i> , &c.	
<i>Bartsia coccinea</i> , &c.	
<i>Campanula</i> of sorts	
<i>Cassia marylandica</i>	
<i>chlamchriste</i>	
<i>Chaptalia tomentosa</i>	
<i>Chelone glabra</i>	
<i>hirsuta</i> , &c.	
<i>Claytonia virginica</i>	
<i>Collinsonia canadensis</i>	
<i>Commelinia tuberosa</i> , &c.	
<i>Convallaria racemosa</i> , &c.	
<i>Convolvulus purpureus</i>	
<i>Convolvulus sagittifolius</i>	jalapa
<i>nil</i> , &c. &c.	
<i>Conyza marylandica</i>	
<i>Coreopsis auriculata</i> , &c.	
<i>Cucubalus behen</i> , &c.	
<i>Cymbidium odontorhizon</i>	
<i>Cypripedium acaule</i>	flavum, &c.
<i>Dionaea muscipula</i>	
<i>Dioscorea villosa</i>	
<i>Dodecatheon meadia</i>	
<i>Dracocephalum virginicum</i>	
<i>Erythrina herbacea</i>	
<i>Erythronium maculatum</i>	
<i>Eupatorium trifoliatum</i>	verticillatum, &c.
<i>Ferrula canadensis</i>	
<i>Gentiana Saponaria</i>	cruciata
<i>crinita</i> , &c.	
<i>Geranium maculatum</i> , &c.	
<i>Gerardia flava</i>	quercifolia
<i>purpurea</i>	
<i>tenuifolia</i> , &c.	
<i>Glycine apia</i> ,	comosa, &c.
<i>Hedysarum hirsutum</i>	nudiflorum, &c.
<i>Helianthus</i> of sorts	
<i>Helonias asphodeloides</i>	bullata
<i>lutea</i> , &c.	
<i>Hibiscus moscheutos</i>	palustris, &c.
<i>Hieraceum venosum</i>	
<i>Ipomoea</i> , 3 varieties.	
<i>Iris versicolor</i> , &c.	
<i>Lepidium sativum</i>	
<i>Liatris macrostachya</i>	
<i>graminifolia</i>	
<i>odoratissima</i> , &c.	
<i>Lilium superbum</i>	
<i>philadelphicum</i>	
<i>Catesbaei</i> , &c.	
<i>Limodorum tuberosum</i>	
<i>Lobelia cardinalis</i>	
<i>fulgens</i>	
<i>siphilitica</i> , &c.	
<i>Lupinus perennis</i>	
<i>Lysimachia racemosa</i>	quadriflora
<i>capitata</i>	
<i>Malaxis unifolia</i>	
<i>Martynia Proboscidea</i>	
<i>diandra</i>	
<i>Medeola virginica</i>	
<i>Mimulus ringens</i>	alatus
<i>Monarda</i> of sorts	
<i>Neottia pubescens</i>	
<i>cernua</i>	
<i>Oenothera grandiflora</i>	
<i>Fraseri</i>	
<i>biennis</i> , &c.	
<i>Ornithogalum lanceolatum</i> , &c.	
<i>Orchis ciliaris</i>	
<i>fimbriata</i> , &c. &c.	
<i>Panax quinquefolium</i>	
<i>Pedicularis gladiata</i>	
<i>Phlox ovata</i> , &c. &c.	
<i>Phryma leptostachya</i>	
<i>Phytolacca decandra</i>	
<i>Podophyllum peltatum</i>	
<i>Polyanthus tuberosa</i>	
<i>double tuberosa</i>	
<i>exotic.</i>	
<i>Polygala sanguinea</i> , &c.	

Also above 300 Genera and Species not herein enumerated. And also for sale as above, a choice and extensive collection of exotic Trees, Flowering Shrubs, Bulbous Roots, &c. &c. Catalogues of which may always be had at No. 160 Pearl-street, or of WILLIAM R. PRINCE, South-street, New-York, who acts as Agent.

1819

CHOCOLATE

CHOCOLATE WITH VANILLA

CHOCOLATE WITH VANILLA 2000



permalife®
pH 8.5